

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

F1_M3

C Number: C97008

Lock Date: 08/16/2004

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

	DAY ON TEST	7	7	7	7	6	7	7	7	7	7	7	7	7	7	4	6	7	7	7	5	7	7			
		3	3	3	2	8	3	3	2	2	3	2	2	3	2	9	4	3	2	2	3	8	2	2		
		0	1	1	9	8	0	0	9	9	1	9	9	0	9	9	0	3	2	0	9	9	0	2	9	9
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CONTROL		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2
		1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically: Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

1-4 .. Lesion qualified as:

14. Eosinophils qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

	DAY ON TEST	7	7	7	7	6	7	7	7	7	7	7	7	7	7	4	6	7	7	7	5	7	7			
B6C3F1 MICE MALE	ANIMAL ID	3	3	3	2	8	3	3	2	2	3	2	2	3	2	2	3	9	4	3	2	2	3	8	2	2
CONTROL		0	1	1	9	8	0	0	9	9	1	9	9	0	9	9	0	3	2	0	9	9	0	2	9	9
.....																										
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

ENDOCRINE SYSTEM

GENERAL BODY SYSTEM

Peritoneum

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	7	7	7	7	6	7	7	7	7	7	7	7	7	7	4	6	7	7	7	5	7	7	
	3	3	3	2	8	3	3	2	2	3	2	2	3	2	2	3	9	4	3	2	2	3	8
	0	1	1	9	8	0	0	9	9	1	9	9	0	9	9	0	3	2	0	9	9	0	2
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CONTROL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	

males
(cont...)

URINARY SYSTEM

Kidney
Inflammation, Suppurative
Metaplasia, Osseous
Nephropathy
Medulla, Necrosis

+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
1					1															1		
1	1	1	1		1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1
																	2					
																		2				

Urinary Bladder
Inflammation, Suppurative

+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

B6C3F1 MICE MALE CONTROL	ANIMAL ID	4	7	7	5	7	7	6	7	7	7	7	7	7	6	7	5	7	7	7	6	5	7	7	5
		4	3	3	5	2	2	3	3	2	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0
		0	0	0	0	9	9	9	0	9	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9
		* TOTALS																							

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Gallbladder Hyperplasia	A	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	M	+	+	M	+	+	M	40
																									1 1.0
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Intestine Small, Duodenum	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Intestine Small, Ileum	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Intestine Small, Jejunum	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Basophilic Focus																									5 2.6
Clear Cell Focus																									18 2.2
Eosinophilic Focus																									3 2.0
Hyperplasia, Regenerative																									1 4.0
Infarct																									1
Inflammation, Chronic																									1 3.0
Mixed Cell Focus																									1 3.0
																									3

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

	DAY ON TEST	4	7	7	5	7	7	6	7	7	7	7	7	7	6	7	5	7	7	7	7	6	5	7	7	5
B6C3F1 MICE MALE	ANIMAL ID	4	3	3	5	2	2	3	3	2	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0	0
CONTROL		0	0	0	0	9	9	9	0	9	0	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9
		* TOTALS																								
Necrosis		4																								3 4.0
Tension Lipidosis																										1 1.0
Thrombosis																										1 4.0
Mesentery																										3
Fat, Necrosis																										3 2.0
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Atrophy																										4 1.40
Duct, Cyst																										4 1.40
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Hyperplasia, Squamous																										3 1.7
Inflammation, Chronic Active																										2 1.5
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Tooth																										3
Malformation																										1 3.0

CARDIOVASCULAR SYSTEM

Blood Vessel																										1
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Cardiomyopathy																										1 5 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	4	7	7	5	7	7	6	7	7	7	7	7	6	7	5	7	7	7	7	6	5	7	7	5
	4	3	3	5	2	2	3	3	2	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0
	0	0	0	0	9	9	9	0	9	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CONTROL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9
	* TOTALS																							

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Hyperplasia																								12 2.0
Hypertrophy																								24 1.8
Subcapsular, Hyperplasia	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1 3.0
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Hyperplasia																								2 2.5
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Parathyroid Gland	+	M	+	+	M	M	+	+	M	M	+	+	M	+	+	M	+	M	+	M	+	M	M	29
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Pars Distalis, Hyperplasia																								1 3.0
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Follicular Cell, Hyperplasia																								17 1.8

GENERAL BODY SYSTEM

Peritoneum																								1
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

	DAY ON TEST																								
	4	7	7	5	7	7	6	7	7	7	7	7	7	6	7	5	7	7	7	7	6	5	7	7	
	4	3	3	5	2	2	3	3	2	3	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0
	0	0	0	0	9	9	9	0	9	0	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CONTROL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	4	7	7	5	7	7	6	7	7	7	7	7	7	6	7	5	7	7	7	7	6	5	7	7	5
	4	3	3	5	2	2	3	3	2	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0	
	0	0	0	0	9	9	9	0	9	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CONTROL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	M	+	+	+	+	+	47

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0
Skin Inflammation, Chronic Active	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Skeletal Muscle																									1

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

RESPIRATORY SYSTEM

Larynx	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	4	7	7	5	7	7	6	7	7	7	7	7	6	7	5	7	7	7	7	6	5	7	7	5
	4	3	3	5	2	2	3	3	2	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0
	0	0	0	0	9	9	9	0	9	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CONTROL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9
																								* TOTALS

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Thrombosis	1	1.0
------------	---	-----

Alveolar Epithelium, Hyperplasia	4	3.3
----------------------------------	---	-----

Alveolus, Infiltration Cellular, Histiocyte	4	3.0
---	---	-----

Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Inflammation, Suppurative	2	1.0
---------------------------	---	-----

Glands, Respiratory Epithelium,	17	1.0
---------------------------------	----	-----

Hyperplasia		
-------------	--	--

Olfactory Epithelium, Metaplasia,	5	1.2
-----------------------------------	---	-----

Respiratory		
-------------	--	--

Respiratory Epithelium, Hyperplasia	1	1.0
-------------------------------------	---	-----

Respiratory Epithelium, Metaplasia,	2	1.0
-------------------------------------	---	-----

Squamous		
----------	--	--

Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
---------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Phthisis Bulbi	1	
----------------	---	--

Cornea, Fibrosis	2	1.5
------------------	---	-----

Cornea, Inflammation, Chronic Active	1	4.0
--------------------------------------	---	-----

Cornea, Ulcer	1	
---------------	---	--

Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
-----------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Hyperplasia	4	2.5
-------------	---	-----

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	4	7	7	5	7	7	6	7	7	7	7	7	7	6	7	5	7	7	7	6	5	7	7	5	
	4	3	3	5	2	2	3	3	2	3	3	2	7	2	8	3	3	3	2	3	9	1	3	0	0
	0	0	0	0	9	9	9	0	9	0	1	9	7	9	3	1	0	1	9	9	3	1	0	9	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CONTROL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS	
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Inflammation, Suppurative																									1 2.0
Metaplasia, Osseous																									3 1.0
Nephropathy	1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46 1.2	
Medulla, Necrosis																									1 2.0
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	
Inflammation, Suppurative																									1 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x ... Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

1-4 .. Lesion qualified as:

1-4 ... Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

B6C3F1 MICE MALE 8 PPM	ANIMAL ID	7	7	7	7	7	7	7	5	7	7	7	7	7	7	6	7	7	7	7	7	7	7	7	5	
		3	2	2	3	2	3	3	2	8	3	2	2	3	3	0	7	3	2	3	2	3	3	3	2	2
		0	9	9	0	9	0	1	9	3	1	9	9	1	0	4	7	1	9	0	9	0	9	9	2	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	

* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Gallbladder	+	+	I	+	+	+	+	M	+	+	+	I	+	+	+	+	I	+	+	+	+	+	+	+	41
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Ileum Infiltration Cellular, Mixed Cell	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	1 2.0
Intestine Small, Jejunum Peyer's Patch, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	1 4.0
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Basophilic Focus																									8 2.4
Clear Cell Focus																									11 2.2
Eosinophilic Focus																									3 3.3
Infarct																									1
Inflammation, Chronic																									1 3.0
Necrosis																									2 3.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

B6C3F1 MICE MALE 8 PPM	ANIMAL ID	7	7	7	7	7	7	5	7	7	7	7	7	7	6	7	7	7	7	7	7	7	7	7	5	
		3	2	2	3	2	3	3	2	8	3	2	2	3	3	0	7	3	2	3	2	3	3	2	2	7
		0	9	9	0	9	0	1	9	3	1	9	9	1	0	4	7	1	9	0	9	0	9	9	2	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	
		* TOTALS																								
Tension Lipidosis																										
Bile Duct, Hyperplasia, Adenomatous																										
Mesentery																										
Fat, Necrosis																										
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Duct, Hyperplasia, Adenomatous																										
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Hyperplasia, Squamous																										
Ulcer																										
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Infiltration Cellular, Mixed Cell																										
Tooth																										
CARDIOVASCULAR SYSTEM																										
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Cardiomyopathy																										
Thrombosis																										
ENDOCRINE SYSTEM																										
*	.. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade																									
+	.. Tissue examined microscopically																									
x	.. Lesion present																									
I	.. Insufficient tissue																									
M	.. Missing tissue																									
A	.. Autolysis precludes evaluation																									
BLANK	.. Not examined microscopically																									
1-4	.. Lesion qualified as:																									
1)	Minimal																									
3)	Moderate																									
2)	Mild																									
4)	Marked																									
Page 24																										

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

B6C3F1 MICE MALE 8 PPM	ANIMAL ID	DAY ON TEST																										
		7	7	7	7	7	7	5	7	7	7	7	7	7	6	7	7	7	7	7	7	7	7	7	7	5		
		3	2	2	3	2	3	3	2	8	3	2	2	3	3	0	7	3	2	3	2	3	3	2	2	7		
		0	9	9	0	9	0	1	9	3	1	9	9	1	0	4	7	1	9	0	9	0	9	9	9	2		
.....																												
.....		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
.....		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
.....		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
.....		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5	
.....		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0		
.....		* TOTALS																										

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Hyperplasia						2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	16	1.9	
Hypertrophy	2		2	2		2		2		2		2		2		2		2		2		2		2	24	1.9	
.....		
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Hyperplasia																									2	3	2.3
.....		
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Hyperplasia																									2	2	2.0
.....		
Parathyroid Gland	+	+	M	+	+	+	M	M	M	+	+	M	M	+	M	M	M	M	M	M	M	M	M	M	30		
.....		
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Pars Distalis, Hyperplasia																									2	2	2.5
.....		
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Follicular Cell, Hyperplasia			2		2	3		2		2		2		2		1	1	2	2	2	2	2	2	2	22	2.2	

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Angiectasis																									1	3.0
Granuloma Sperm																									1	1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

B6C3F1 MICE MALE 8 PPM	ANIMAL ID	DAY ON TEST																										
		7	7	7	7	7	7	5	7	7	7	7	7	7	6	7	7	7	7	7	7	7	7	7	7	5		
		3	2	2	3	2	3	3	2	8	3	2	2	3	3	0	7	3	2	3	2	3	3	2	2	7		
		0	9	9	0	9	0	1	9	3	1	9	9	1	0	4	7	1	9	0	9	0	9	9	9	2		
.....																												
.....		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
.....		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
.....		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
.....		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5	
.....		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0		
.....		* TOTALS																										

Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Infiltration Cellular, Mixed Cell																											1 3.0
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Hematopoietic Cell Proliferation																											4 3.3
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49	

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Cyst Epithelial Inclusion																											1 2.0
Edema																											1 3.0
Inflammation, Chronic Active																											3 3.7

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Fracture																											1
Hyperostosis																											1 2.0
Skeletal Muscle																											1
Inflammation, Suppurative																											1 3.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	7	7	7	7	7	7	7	5	7	7	7	7	7	7	6	7	7	7	7	7	7	7	7	7	5	
	3	2	2	3	2	3	3	2	8	3	2	2	3	3	0	7	3	2	3	2	3	3	2	2	2	7
	0	9	9	0	9	0	1	9	3	1	9	9	1	0	4	7	1	9	0	9	0	9	0	9	9	2
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8 PPM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	5
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	
	* TOTALS																									

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

RESPIRATORY SYSTEM

Larynx	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Inflammation, Chronic Active																									2 3.0
------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Metaplasia, Squamous																									1 4.0
----------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Alveolar Epithelium, Hyperplasia																									4 2.5
----------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Alveolus, Infiltration Cellular, Histiocyte																									2 3.5
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Bronchiole, Goblet Cell, Hyperplasia																									1 4.0
--------------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Bronchiole, Hyperplasia																									1 2.0
-------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

Inflammation, Suppurative																									16 1.0
---------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--------

Glands, Respiratory Epithelium,																									29 1.6
---------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--------

Hyperplasia																									
-------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Olfactory Epithelium, Atrophy																									3 1.0
-------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Olfactory Epithelium, Necrosis																									1 1.0
--------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------

Respiratory Epithelium, Hyperplasia	2	2	2	2	2	2	3	2	3	2	2	2	2	2	1	1	3	2	2	2	1	2	2	2	20 2.0
-------------------------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--------

Respiratory Epithelium, Metaplasia,																									11 1.0
-------------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--------

Squamous																									
----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Turbinate, Atrophy	2	2	2	2	2	2	2	3	2	2	2	1	1	1	1	2	1	2	2	2	2	2	2	2	50 1.5
--------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--------

Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
---------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

	DAY ON TEST	7	7	7	7	7	7	7	5	7	7	7	7	7	6	7	7	7	7	7	7	7	7	7	5
		3	2	2	3	2	3	3	2	8	3	2	2	3	3	0	7	3	2	3	2	3	2	3	2
		0	9	9	0	9	0	1	9	3	1	9	9	1	0	4	7	1	9	0	9	2	9	0	9
B6C3F1 MICE MALE		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8 PPM	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
		2	2	2	2	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	5
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9

SPECIAL SENSES SYSTEM

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

DAY ON TEST	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	4	6	6	7	5	7	
	3	3	2	3	2	3	2	3	2	3	2	3	3	3	3	3	2	3	9	3	3	3	6	2
	0	0	9	0	9	0	9	0	0	9	0	0	0	1	1	9	1	0	3	0	1	0	5	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 PPM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4

**males
(cont...)****ALIMENTARY SYSTEM**

Esophagus

+ +

Gallbladder

+ + M M + + + + M M + + + + M + + + + + A A + + + I

Intestine Large, Cecum

+ +

Intestine Large, Colon

+ +

Intestine Large, Rectum

+ +

Intestine Small, Duodenum

+ +

Intestine Small, Ileum

+ +

Intestine Small, Jejunum

+ +

Liver

+ +

Basophilic Focus

4 4 2 2

Clear Cell Focus

3 3 2 2

Eosinophilic Focus

2 2 2 2

Infarct

3

Mixed Cell Focus

Necrosis

Tension Lipidosis

1

Vacuolization Cytoplasmic, Focal

1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 6 | 7 | 5 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 6 | 2 | |
| | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 0 | 0 | 1 | 1 | 9 | 1 | 0 | 3 | 0 | 1 | 0 | 5 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

**males
(cont...)**Mesentery
Fat, Necrosis+
2Pancreas
Atrophy
Duct, Cyst+ + + + + + + + + + + + + + + + + A + + + + + + +
4
4

Salivary Glands

+ +

Stomach, Forestomach
Hyperplasia, Squamous
Inflammation, Chronic Active+ A + + + + +
2
1Stomach, Glandular
Mineralization

+ +

Tooth
Inflammation, Chronic Active

+ +

CARDIOVASCULAR SYSTEMHeart
Cardiomyopathy
Inflammation, Suppurative
Thrombosis+
1
4
4

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 6 | 7 | 5 | 7 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 6 | 2 |
| | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 0 | 1 | 1 | 9 | 1 | 0 | 3 | 0 | 1 | 0 | 5 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |

**males
(cont...)****ENDOCRINE SYSTEM**Adrenal Cortex
Hyperplasia
Hypertrophy+ + + + + + + + + + + + + + + + A + + + +
2 2

Adrenal Medulla

+ + + + + + + + + + + + + + + + A + + + +

Islets, Pancreatic

+ + + + + + + + + + + + + + + + A + + + +

Parathyroid Gland

+ M M + + + + I M + + + I + M M + + M + + + +

Pituitary Gland
Pars Distalis, Hyperplasia

+ +

Thyroid Gland
Follicular Cell, Hyperplasia

+ +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEMEpididymis
Granuloma Sperm

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
16 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 6 | 7 | 5 | 7 | |
|----------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 2 |
| | | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 0 | 1 | 1 | 9 | 1 | 0 | 3 | 0 | 1 | 0 | 5 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Preputial Gland
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate
Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle
Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Testes
Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow
Angiectasis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | + | M | M | M | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | + | + | + | M | M | M | + | + | M | M | M | M | + | + | + | M | + | + | + | M | M | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + | + | M | M | M | M | + | + | + | M | + | + | + | + | + | + | A | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen
Hematopoietic Cell Proliferation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
16 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 6 | 7 | 5 | 7 |
|----------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 6 | 2 |
| | | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 0 | 1 | 1 | 9 | 1 | 0 | 3 | 0 | 1 | 0 | 5 |

males
(cont...)

Bronchiale, Hyperplasia

1

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | 1 | 1 | 1 | | 1 | 1 | | 1 | | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | | | | | |
| Glands, Respiratory Epithelium,
Hyperplasia | 1 | 2 | 2 | 2 | 1 | 2 | 3 | 2 | 2 | 1 | 3 | 3 | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | 3 | 1 | 2 | |
| Glands, Necrosis | | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 | 2 | 2 |
| Olfactory Epithelium, Metaplasia,
Respiratory | | | | | | | | | | | 2 | 1 | | | | | | | | | 1 | | | |
| Respiratory Epithelium, Hyperplasia | 3 | 3 | 2 | 4 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 1 | 2 | 2 | 2 | 1 | 2 | |
| Respiratory Epithelium, Metaplasia,
Squamous | | | | | | | | | | | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Respiratory Epithelium, Necrosis | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | |
| Turbinate, Atrophy | 3 | 2 | 2 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 2 | 3 |

Trachea

+ + + + + + + + + + + + + + + + + + A + + + +

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + |
| Cataract | | | | | | | | | | | | | | | | | | | 2 | | | | | | |
| Cornea, Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | 2 | | | | | | | |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | 3 | 2 | 3 | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | 3 | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 6 | 7 | 5 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 9 | 3 | 3 | 3 | 6 | 2 |
| | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 0 | 0 | 1 | 1 | 9 | 1 | 0 | 3 | 0 | 1 | 0 | 5 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

**males
(cont...)**

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | 1 | 1 | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
16 PPM | ANIMAL ID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | | |
| | | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | | |
| | | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 | 9 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 40 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Duodenum | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | 47 | |
| Intestine Small, Ileum | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | 46 | |
| Intestine Small, Jejunum | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | 46 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 5 3.0 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 13 2.3 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | | 3 1.0 |
| Vacuolization Cytoplasmic, Focal | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
16 PPM | ANIMAL ID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | |
| | | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 |
| | | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|--------|
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Fat, Necrosis | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.5 |
| Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 2.5 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Tooth | + | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Inflammation, Chronic Active | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|-------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 1.1 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | | |
|-------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 |
| | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 9 | 2.0 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | 22 | 2.0 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | + | M | + | 38 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 14 | 1.8 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Granuloma Sperm | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
16 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | |
|------------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| | | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 |
| | | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Prostate | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Seminal Vesicle | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Testes | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Lymph Node, Bronchial | M | M | + | + | + | + | M | + | + | M | M | M | + | M | + | M | M | + | M | M | M | M | + | 30 | |
| Lymph Node, Mandibular | + | + | + | + | M | M | M | + | + | + | M | M | M | + | M | M | + | + | M | M | M | M | M | + | 25 |
| Lymph Node, Mediastinal | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | M | M | M | 38 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | 48 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | | |
|--|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 |
| | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 |
| B6C3F1 MICE MALE
16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M | + | M | M | + | + | 42 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | 3 3.0 | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lung
Alveolar Epithelium, Hyperplasia
Alveolus, Infiltration Cellular, Histiocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | 5 1.8
2 3.5 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
16 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | | | |
|---|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| | | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | |
| | | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchiale, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Respiratory Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Metaplasia, Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory Epithelium, Metaplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory Epithelium, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Turbinate, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Cornea, Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 5 2.8 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | | |
|-------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 2 | 3 | 3 | 5 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 2 | 2 | 9 | 2 | 3 | 3 | 3 | 3 | 2 | 2 |
| | 0 | 1 | 9 | 1 | 3 | 4 | 5 | 0 | 1 | 0 | 9 | 9 | 9 | 0 | 9 | 9 | 8 | 9 | 1 | 1 | 0 | 0 | 8 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 4 1.0 |
| Nephropathy | 1 | 1 | 1 | 1 | 3 | 4 | 3 | | 2 | 1 | 1 | 2 | 1 | 4 | 1 | 1 | 3 | 1 | 3 | 1 | 1 | 1 | 47 1.4 |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 3 | 5 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | 3 | 2 | 3 | 3 |
| | 1 | 3 | 1 | 9 | 9 | 0 | 1 | 0 | 1 | 0 | 9 | 1 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | 9 | 0 | 9 | 1 | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

14. Eosinophils qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M.. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

14. Eosinophils qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

HEMATOPOIETIC SYSTEM

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 5 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | 3 | 2 | 3 | 3 | 3 |
| | 1 | 3 | 1 | 9 | 9 | 0 | 1 | 0 | 1 | 0 | 0 | 9 | 1 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | 9 | 0 | 9 | 1 | 1 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

**males
(cont...)**

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 1 |
| Glands, Respiratory Epithelium,
Hyperplasia | 2 | 3 | 2 | 3 | 1 | 3 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 2 | 2 | 2 | 2 |
| Olfactory Epithelium, Atrophy | 2 | 2 | 3 | 2 | 4 | | 2 | 2 | 2 | | 3 | 2 | 3 | 2 | | | 3 | 2 | | 3 | 2 | | | | |
| Olfactory Epithelium, Metaplasia,
Respiratory | 2 | 1 | 1 | | | 2 | | | 2 | 1 | 1 | 3 | 2 | 2 | | | 2 | 2 | 1 | | | | | | |
| Respiratory Epithelium, Hyperplasia | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | |
| Respiratory Epithelium, Metaplasia,
Squamous | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 4 | 3 | 2 | 2 | 2 | 2 | 3 | 1 | 2 | 2 | 2 |
| Turbinate, Atrophy | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 4 | 3 | 4 | 4 | 3 | 3 | 3 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cataract | | | | | | | | | | 3 | | | | | | | | | | 1 | | | | | |
| Cornea, Fibrosis | | | | | | | | | | | | | | | | | | | | | 1 | | | | |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | 3 | | | | | | | | | 3 | | | | 2 | |
| Cornea, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 5 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | 3 | 2 | 3 | 3 | 3 |
| | 1 | 3 | 1 | 9 | 9 | 0 | 1 | 0 | 1 | 0 | 0 | 9 | 1 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | 9 | 0 | 9 | 1 | 1 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 1 | 1 | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | |
| Capsule, Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x ... Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

1-4 .. Lesion qualified as:

+ .. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M.. Missing tissue

A.. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE MALE
32 PPM | ANIMAL ID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| | | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | |
| | | 3 | 3 | 9 | 3 | 0 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 9 | 3 | 2 | 2 | 3 | 2 | 7 | 2 | 2 |
| | | 0 | 0 | 8 | 1 | 5 | 1 | 9 | 9 | 1 | 9 | 0 | 1 | 1 | 9 | 1 | 9 | 9 | 0 | 9 | 9 | 1 | 9 | 7 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Seminal Vesicle | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Testes | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lymph Node, Bronchial | + | + | + | M | + | + | M | M | M | + | M | + | + | M | + | M | + | + | M | M | + | M | + | + | 33 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | M | M | M | + | M | M | + | + | + | M | + | + | M | M | M | + | + | + | 30 | |
| Lymph Node, Mediastinal | + | M | + | M | + | + | M | + | + | M | + | + | + | M | + | M | + | + | M | + | + | M | + | + | 36 | |
| Lymph Node, Mesenteric | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thymus Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 3 | 3 | 9 | 3 | 0 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 9 | 3 | 2 | 2 | 3 | 2 | 2 | 2 |
| | 0 | 0 | 8 | 1 | 5 | 1 | 9 | 9 | 1 | 9 | 0 | 1 | 1 | 9 | 1 | 9 | 9 | 0 | 9 | 9 | 1 | 9 | 7 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|---------------|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | 1 | 3 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 4 | 1 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 4 | 50 1.9 |
| Glands, Respiratory Epithelium, Hyperplasia | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 3 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 50 2.2 |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | 33 2.2 | |
| Olfactory Epithelium, Metaplasia, Respiratory | | | | | | | | | | | | | | | | | | | | | | | | 16 1.8 | |
| Respiratory Epithelium, Hyperplasia | 2 | 3 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 50 2.3 |
| Respiratory Epithelium, Metaplasia, Squamous | 3 | 2 | 3 | 3 | 2 | 4 | 3 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 50 2.4 |
| Turbinate, Atrophy | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 50 3.2 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Cornea, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 2.10 |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 7 2.6 |
| Cornea, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | 3 1.7 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M., Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 5 | 7 | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 3 | 6 | 3 | 3 | 3 | 9 | 1 |
| | 3 | 2 | 2 | 4 | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 1 | 3 | 9 | 1 | 2 | 3 | 2 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |

females
(cont...)

ALIMENTARY SYSTEM

Esophagus

+ +

Gallbladder

+ + + A I + + M M + + + I + + + + + I + + + + + M A M

Intestine Large, Cecum

+ + + A + A +

Intestine Large, Colon

+ + + A + A +

Intestine Large, Rectum

+ + + A +

Intestine Small, Duodenum

+ + + A +

Intestine Small, Ileum

+ + + A + A +

Intestine Small, Jejunum

+ + + A + A +

Liver

+ +

1

3

Basophilic Focus

Clear Cell Focus

Eosinophilic Focus

Hematopoietic Cell Proliferation

Necrosis

Tension Lipidosis

Mesentery

+

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 5 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 3 | 6 | 3 | 3 | 3 | 9 | 1 |
| | 3 | 2 | 2 | 4 | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 1 | 3 | 9 | 1 | 2 | 3 | 2 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |

females
(cont...)Artery, Inflammation, Chronic Active
Fat, Necrosis

2

| | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | |
|--------------------------------------|-------|
| Blood Vessel | |
| | |
| Heart | + |
| Cardiomyopathy | + |
| Artery, Inflammation, Chronic Active | 1 |

ENDOCRINE SYSTEM

| | | |
|--|---------------------------------------|-----------------------------|
| * .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade | M .. Missing tissue | 1-4 .. Lesion qualified as: |
| + .. Tissue examined microscopically | A .. Autolysis precludes evaluation | 1) Minimal 3) Moderate |
| x .. Lesion present | BLANK .. Not examined microscopically | 2) Mild 4) Marked |
| I .. Insufficient tissue | Page 59 | |

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

HEMATOPOIETIC SYSTEM

* ... Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M.. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 5 | 7 |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | ANIMAL ID | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 3 | 6 | 3 | 3 | 3 | 9 | 1 |
| CONTROL | | 3 | 2 | 2 | 4 | 2 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 1 | 3 | 9 | 1 | 2 | 3 | 2 | 3 |
| Larynx | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | 3 | | | | | | | | 1 | | | | | | | | | | | | |
| Alveolus, Infiltration Cellular, Histiocyte | | 2 | | | | | | | | | | | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Respiratory Epithelium, | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Metaplasia, | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory | | | | | | | | | | | | | | | | | | | | | | |
| Pleura | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cataract | | | | | | | | | | | | | | | | | | | | | |
| Degeneration | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 5 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 3 | 6 | 3 | 3 | 3 | 9 | 1 |
| | 3 | 2 | 2 | 4 | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 1 | 3 | 9 | 1 | 2 | 3 | 2 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | |

females
(cont...)

Necrosis

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Mononuclear Cell | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 1 | 2 | 1 | 1 | | | 1 | 1 | 1 | | 1 | | | 1 | | | 1 | 1 | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------|-------------|--|
| | DAY ON TEST | 7
3
2 | 7
3
3 | 7
3
3 | 7
3
2 | 7
3
2 | 7
3
2 | 3
8
9 | 7
3
1 | 7
3
1 | 5
7
9 | 7
3
1 | 7
3
3 | 7
0
4 | 7
3
2 | 7
3
2 | 6
4
3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0
0
1
2
6 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
2
9 | 0
0
1
2
0 | 0
0
1
3
1 | 0
0
1
3
4 | 0
0
1
2
5 | 0
0
1
3
6 | 0
0
1
3
7 | 0
0
1
3
8 | 0
0
1
3
9 | 0
0
1
2
0 | 0
0
1
2
1 | 0
0
1
3
5 | 0
0
1
2
6 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
2
9 | 0
0
1
2
0 | * TOTALS | | |
| CONTROL | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 41 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | 4 6.23 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Mesentery | + | + | + | | | | | + | | | | + | + | | | | | | | | | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 6 |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Artery, Inflammation, Chronic Active | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Fat, Necrosis | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| Pancreas Atrophy | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | 4 | | | | | 1 4.0 |
| Fat, Necrosis | | 2 | 2 | 2 | | | | | | 2 | | | | | | | 2 | 2 | | | | | | 8 2.0 |
| Pancreas Atrophy | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 4.0 |
| Stomach, Forestomach Hyperplasia, Squamous | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Chronic Active | | | | | | | | | | 2 | | 1 | | | | | | | | | | | | 3 1.7 |
| Ulcer | | | | | | | | | | | | 2 | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | 2 | | | | | | | | | | | 2 2.0 |
| Stomach, Glandular Infiltration Cellular, Mixed Cell | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | + |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Blood Vessel | | | | | | | | | | | | | | | | | | | + | | | | | 1 |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
CONTROL | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 7 | 3 | 3 | 3 | 0 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 4 |
| | | 2 | 3 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 2 | 9 | 1 | 1 | 9 | 1 | 3 | 3 | 4 | 2 | 3 | 3 | 2 | 2 | 3 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 1.8 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Subcapsular, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Parathyroid Gland | M | + | M | M | + | M | + | M | + | + | M | M | + | M | M | + | + | + | + | + | + | + | + | + | 31 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 2.2 |
| Pars Distalis, Hyperplasia | 3 | 2 | | | | 3 | 2 | 3 | | 3 | 2 | 2 | | 2 | | | | 3 | 2 | 3 | | | | | 23 | 2.6 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Follicular Cell, Hyperplasia | | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | 11 | 2.1 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

GENITAL SYSTEM

| | | |
|--|---------------------------------------|-----------------------------|
| * .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade | M .. Missing tissue | 1-4 .. Lesion qualified as: |
| + .. Tissue examined microscopically | A .. Autolysis precludes evaluation | 1) Minimal 3) Moderate |
| x .. Lesion present | BLANK .. Not examined microscopically | 2) Mild 4) Marked |
| I .. Insufficient tissue | Page 67 | |

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 6 |
|----------------------------------|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 7 | 3 | 3 | 3 | 0 | 3 | 5 | 3 | 3 | 3 | 3 | 4 |
| | | 2 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 9 | 1 | 1 | 9 | 1 | 3 | 3 | 4 | 2 | 3 | 3 | 2 | 2 | 3 | 7 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| Clitoral Gland | | M | + | + | + | M | I | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | 42 |
| Ovary | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | 10 2.1 |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Endometrium, Hyperplasia, Cystic | | | | | | | | | | | | | | | | | | | | | | | | 6 3.5 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia, Reticulum Cell | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | 9 |
| Iliac, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Lymph Node, Bronchial | + | + | + | + | M | + | + | M | M | + | + | + | + | + | + | M | + | + | + | + | M | + | + | 42 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | M | + | + | M | M | 38 |
| Lymph Node, Mediastinal | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | M | M | 45 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | DAY ON TEST | 7
3
2 | 7
3
3 | 7
3
3 | 7
3
2 | 7
3
2 | 7
3
2 | 3
8
9 | 7
3
1 | 7
3
1 | 5
7
9 | 7
3
1 | 7
3
3 | 7
0
4 | 7
3
2 | 6
4
3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0
0
1
2
6 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
2
9 | 0
0
1
3
0 | 0
0
1
3
1 | 0
0
1
3
2 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
4
0 | 0
0
1
4
1 | |
| CONTROL | | 0
0
1
2
6 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
2
9 | 0
0
1
3
0 | 0
0
1
3
1 | 0
0
1
3
2 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
3
1 | 0
0
1
4
0 | 0
0
1
4
1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hematopoietic Cell Proliferation | | | | | | | | 3 | | | | | | | | | | | | | | | | | 3 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Infiltration Cellular, Mononuclear Cell | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
! .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Page 69

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
CONTROL | ANIMAL ID | DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | |
|---|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 7 | 3 | 3 | 3 | 0 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 4 | |
| | | 2 | 3 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 2 | 9 | 1 | 1 | 9 | 1 | 3 | 3 | 4 | 2 | 3 | 3 | 2 | 2 | 3 |
| Larynx | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 7 1.6 |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Glands, Respiratory Epithelium, | | | | | | | | | | | | | | | | | | | | | | | | | 7 1.1 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Olfactory Epithelium, Metaplasia, | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 6 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|----------------|
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 7 | 3 | 3 | 3 | 0 | 3 | 5 | 3 | 3 | 3 | 3 | 4 | |
| | 2 | 3 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 2 | 9 | 1 | 1 | 9 | 1 | 3 | 3 | 4 | 2 | 3 | 3 | 2 | 2 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 3 1 3.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 1 4.0 | |
| Infiltration Cellular, Mononuclear Cell | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Nephropathy | | | | | | | | | | | | | | | | | | | | | | | | 20 1.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 1 4.0 | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 1 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 1 | 6 | 3 |
| | 3 | 8 | 1 | 1 | 3 | 2 | 2 | 1 | 3 | 2 | 2 | 8 | 2 | 2 | 3 | 2 | 2 | 8 | 2 | 3 | 1 | 3 | 7 | 5 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 8 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 1 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 1 | 6 | 3 |
| | 3 | 8 | 1 | 1 | 3 | 2 | 2 | 1 | 3 | 2 | 2 | 8 | 2 | 2 | 3 | 2 | 2 | 8 | 2 | 3 | 1 | 3 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | + | + | | | | | | | | + | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 1 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 1 | 6 | 3 |
| | 3 | 8 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | 3 | 2 | 2 | 8 | 2 | 2 | 3 | 2 | 2 | 8 | 2 | 3 | 1 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |

females
(cont...)

Infiltration Cellular, Eosinophil 4

Spleen + A + + 3

Hematopoietic Cell Proliferation

Thymus + M + + A + +

INTEGUMENTARY SYSTEM

Mammary Gland +

Skin + 2

Inflammation, Acute

Inflammation, Chronic Active

Subcutaneous Tissue, Edema

MUSCULOSKELETAL SYSTEM

Bone +

Skeletal Muscle +

NERVOUS SYSTEM

Brain +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

RESPIRATORY SYSTEM

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | |
| Cataract | | | | | | | | | | | | | | | | | 3 | | | | | | | | |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | 3 | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | |
| Hyperplasia | | | | | | | | | | | | | | | | | | 3 | | | | | | | |

* ... Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M.. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 1 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 |
| | 3 | 8 | 1 | 1 | 3 | 2 | 2 | 1 | 3 | 2 | 2 | 8 | 2 | 2 | 3 | 2 | 2 | 8 | 2 | 3 | 1 | 3 | 7 | 5 | 2 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 8 PPM | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

URINARY SYSTEM

Kidney

Metaplasia, Osseous

Nephropathy

Artery, Inflammation, Chronic Active

1 1 1 1 2 1

Urinary Bladder

Infiltration Cellular, Mixed Cell

Artery, Inflammation, Chronic Active

+ A + +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M., Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|-------------|-------------|-------------|
| | DAY ON TEST | 7
3
1 | 7
3
2 | 7
3
2 | 7
3
1 | 7
3
3 | 7
3
2 | 7
3
3 | 7
3
2 | 7
3
3 | 7
3
2 | 7
3
3 | 7
3
3 | 7
3
2 | 7
3
1 | 6
6
5 | 6
6
5 | 6
6
5 | 4
9
5 | 7
3
2 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0
0
3
2
6 | 0
0
3
2
7 | 0
0
3
2
8 | 0
0
3
2
9 | 0
0
3
3
0 | 0
0
3
3
1 | 0
0
3
3
2 | 0
0
3
3
3 | 0
0
3
3
4 | 0
0
3
3
5 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
8 | 0
0
3
3
9 | 0
0
3
3
0 | 0
0
3
3
1 | 0
0
3
3
2 | 0
0
3
3
3 | 0
0
3
3
4 | 0
0
3
3
5 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
8 | 0
0
3
3
9 | 0
0
3
3
0 | * TOTALS | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | I | + | + | + | + | + | M | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 40 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 48 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 48 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 48 | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 47 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 47 | |
| Infiltration Cellular, Eosinophil | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 47 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 7 2.7 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
8 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 7 | |
|--------------------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|--------|
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 0 | 6 | 5 | 9 | 3 | |
| | | 1 | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 9 | 3 | 2 | 1 | 5 | 0 | 9 | 5 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | + | | | + | | + | + | + | + | | | | | | | | | | + | + | | 13 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Fat, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 11 2.2 |
| Pancreas | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 48 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 1.0 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 3 1.30 |
| Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 48 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | 5 1.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | 2 | 2 2.0 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | 2 | 2 2.0 |
| Adrenal Medulla | + | + | I | + | I | + | 2 | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Parathyroid Gland | + | + | M | M | M | + | + | + | + | M | M | + | + | + | M | + | + | + | + | 36 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Pars Distalis, Hyperplasia | 4 | 3 | | | | | | | | 2 | 3 | 2 | | | | | | | 1 | 11 2.4 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | 2 | 13 1.9 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* ... Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

† .. Tissue examined microscopically

x ... Lesion present

| .. Insufficient tissue

M Missing tissue

A .. Autolysis precludes evaluation

BLANK - Not examined microscopically

1-4 Lesion qualified as

.. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
8 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 7 | | |
|-----------------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|-------|
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 0 | 6 | 5 | 9 | 3 | | |
| | | 1 | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 9 | 3 | 2 | 1 | 5 | 0 | 9 | 5 | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Eosinophil | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 48 | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 3.3 |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Subcutaneous Tissue, Edema | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Reqstd: 07/11/2006

Test Type: CHRONIC

PROPARGYL ALCOHOL

Time Report Reqstd: 13:00:41

Route: RESPIRATORY EXPOSURE WHOLE BODY

CAS Number: 107-19-7

First Dose M/F: 09/17/01 / 09/17/01

Species/Strain: MICE/B6C3F1

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 7 |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 0 | 6 | 5 | 9 | 3 |
| | 1 | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 9 | 3 | 2 | 1 | 5 | 0 | 9 | 5 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 6 1.5 |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 4 1.0 |
| Glands, Respiratory Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 24 1.2 |
| Olfactory Epithelium, Atrophy | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Respiratory Epithelium, Hyperplasia | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| Respiratory Epithelium, Metaplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | 3 1.0 |
| Turbinate, Atrophy | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 48 | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 7 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | 6 | 5 | 9 | 3 |
| | 1 | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 9 | 3 | 2 | 1 | 5 | 0 | 9 | 5 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 PPM | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Nephropathy | 1 | 1 | 1 | | | | 1 | 1 | 3 | | | 1 | 1 | 1 | 1 | | 1 | | 1 | 2 | | | | 19 1.2 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | 2 | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x ... Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

1-4 .. Lesion qualified as:

+ .. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 4 | 7 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 0 | 3 | 1 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 4 | 3 | 3 |
| | 4 | 0 | 2 | 2 | 2 | 3 | 3 | 8 | 3 | 2 | 2 | 2 | 3 | 3 | 1 | 2 | 9 | 3 | 3 | 1 | 4 | 6 |

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |

females
(cont...)

ENDOCRINE SYSTEM

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* ... Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE
16 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + |
| Ovary Cyst | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | 2 | 2 | 3 | 2 | 2 | 2 | 3 |
| Uterus Angiectasis
Endometrium, Hyperplasia, Cystic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 3 | 2 | 2 | 2 | + | + | + | |

HEMATOPOIETIC SYSTEM

* ... Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 Lesion qualified as

14. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x ... Lesion present

| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

1-4 .. Lesion qualified as:

.. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 4 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 0 | 3 | 1 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 4 | 3 | 3 |
| | 4 | 0 | 2 | 2 | 2 | 3 | 3 | 8 | 3 | 2 | 2 | 3 | 3 | 1 | 2 | 9 | 3 | 3 | 1 | 3 | 4 | 6 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | |

females
(cont...)

Hyperplasia

2

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | 3 | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 2 | | | | | | | | | | | | | | | | | | | | | |
| Capillary, Glomerulus, Hyperplasia | | 1 | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
16 PPM | ANIMAL ID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | |
| | | 3 | 9 | 6 | 2 | 3 | 3 | 3 | 5 | 2 | 3 | 3 | 3 | 6 | 8 | 3 | 2 | 3 | 7 | 3 | 3 | 8 | 2 | 3 |
| | | 2 | 1 | 5 | 0 | 3 | 3 | 2 | 2 | 1 | 9 | 6 | 2 | 3 | 1 | 7 | 6 | 2 | 2 | 9 | 3 | 3 | 0 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |

| | | | |
|---|---|---|---------|
| Mesentery | + | + | 7 |
| Fat, Necrosis | | 2 | 5 2.2 |
| Pancreas | + | + | 50 |
| Atrophy | | | 1 3.0 |
| Infiltration Cellular, Mononuclear Cell | | | 1 2.0 |
| Salivary Glands | + | + | 50 |
| Stomach, Forestomach | + | + | 50 |
| Hyperplasia, Squamous | 2 | | 2 1.5 |
| Infiltration Cellular, Mast Cell | | | 1 2.0 |
| Inflammation, Chronic Active | | | 1 2.1.5 |
| Ulcer | 3 | | 1 3.0 |
| Stomach, Glandular | + | + | 48 |
| Tooth | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cardiomyopathy | 1 | 1 | | | | | | | | | | | | | | | | | | | | | 7 1.1 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Capillary, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 9 | 6 | 2 | 3 | 3 | 3 | 3 | 5 | 2 | 3 | 3 | 3 | 6 | 8 | 3 | 2 | 3 | 7 | 3 | 3 | 8 | 2 | 3 |
| | 2 | 1 | 5 | 0 | 3 | 3 | 2 | 2 | 1 | 9 | 6 | 2 | 3 | 1 | 7 | 6 | 2 | 2 | 9 | 3 | 3 | 3 | 0 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

Adrenal Cortex
Hyperplasia
Hypertrophy
Necrosis
Thrombosis

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |

Adrenal Medulla
Hyperplasia

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |

Islets, Pancreatic

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

Parathyroid Gland

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | M | M | + | M | + | + | + | + | + | + | + | M | + | + | + | M | M | M | + | + | 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

Pituitary Gland
Pars Distalis, Hyperplasia

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| + | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | I | 48 | |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 14 2.6 |

Thyroid Gland
Follicular Cell, Hyperplasia

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | 14 | 1.6 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
16 PPM | ANIMAL ID | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | | |
|----------------------------------|-----------|----------|---|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|
| | | 3 | 9 | 6 | 2 | 3 | 3 | 3 | 5 | 2 | 3 | 3 | 3 | 6 | 8 | 3 | 2 | 3 | 7 | 3 | 3 | 3 | 3 | 8 | 2 | 3 | |
| | | 2 | 1 | 5 | 0 | 3 | 3 | 2 | 2 | 1 | 9 | 6 | 2 | 3 | 1 | 7 | 6 | 2 | 2 | 2 | 9 | 3 | 3 | 3 | 0 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | 44 | |
| Ovary Cyst | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Uterus Angiectasis | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 15 2.5 | |
| Endometrium, Hyperplasia, Cystic | | 1 | 2 | 2.5 | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia, Reticulum Cell | 3 | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lymph Node Deep Cervical, Ectasia | | + | + | | | | | | | | | | | | | | | | | | | | | | | 5 1 4.0 |
| Lymph Node, Bronchial | + | M | M | + | + | + | + | + | + | M | + | M | + | + | + | + | M | M | + | + | M | + | + | M | 38 | |
| Lymph Node, Mandibular | + | + | + | + | M | + | M | + | M | M | + | + | + | + | + | + | M | + | M | + | + | + | + | + | 38 | |
| Lymph Node, Mediastinal | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | M | + | + | M | 42 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hematopoietic Cell Proliferation | 3 | | | | | | | | | | | | | | | | | | | | | | | | | 3 3.3 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 9 | 6 | 2 | 3 | 3 | 3 | 3 | 5 | 2 | 3 | 3 | 3 | 6 | 8 | 3 | 2 | 3 | 7 | 3 | 3 | 8 | 2 | 3 |
| | 2 | 1 | 5 | 0 | 3 | 3 | 2 | 2 | 1 | 9 | 6 | 2 | 3 | 1 | 7 | 6 | 2 | 2 | 2 | 9 | 3 | 3 | 3 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Hyperplasia, Lymphoid 3 1 **3.0**

INTEGUMENTARY SYSTEM

1 3.0

MUSCULOSKELETAL SYSTEM

Skeletal Muscle

NERVOUS SYSTEM

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK - Not examined microscopically

1-4 .. Lesion qualified as

+ .. Lesion qualified as:

1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
16 PPM | ANIMAL ID | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | | |
|--|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|-------|
| | | 3 | 9 | 6 | 2 | 3 | 3 | 3 | 3 | 5 | 2 | 3 | 3 | 3 | 6 | 8 | 3 | 2 | 3 | 7 | 3 | 3 | 8 | 2 | 3 | | |
| | | 2 | 1 | 5 | 0 | 3 | 3 | 2 | 2 | 1 | 9 | 6 | 2 | 3 | 1 | 7 | 6 | 2 | 2 | 2 | 9 | 3 | 3 | 3 | 0 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Larynx | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Metaplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 1.3 |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 35 1.2 | |
| Glands, Respiratory Epithelium,
Hyperplasia | | 2 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 44 1.7 | |
| Olfactory Epithelium, Atrophy | | 2 | 2 | 2 | | | 2 | | | 2 | 1 | 3 | 2 | | | | 3 | | 1 | 2 | 2 | 2 | 1 | | | 31 1.7 | |
| Olfactory Epithelium, Metaplasia,
Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | | 6 1.7 | |
| Olfactory Epithelium, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Respiratory Epithelium, Hyperplasia | | 2 | 2 | 3 | 1 | 2 | 4 | 3 | 3 | 3 | 1 | 2 | 3 | 3 | 2 | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 50 2.2 | |
| Respiratory Epithelium, Metaplasia,
Squamous | | 1 | 1 | | 1 | | 1 | 2 | 1 | 1 | 2 | 3 | 2 | 1 | | | 2 | 1 | 2 | 1 | 1 | 1 | 2 | | | 34 1.5 | |
| Turbinete, Atrophy | | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 50 2.7 | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 3 | 9 | 6 | 2 | 3 | 3 | 3 | 3 | 5 | 2 | 3 | 3 | 3 | 6 | 8 | 3 | 2 | 3 | 7 | 3 | 3 | 8 | 2 | 3 |
| | 2 | 1 | 5 | 0 | 3 | 3 | 2 | 2 | 1 | 9 | 6 | 2 | 3 | 1 | 7 | 6 | 2 | 2 | 9 | 3 | 3 | 3 | 0 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Suppurative | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 3.0 |
| Nephropathy | | | | | | | | | | | | | | | | | | | | | | | | 19 1.1 |
| Capillary, Glomerulus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 0 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 1 | 8 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 7 | 1 | 2 | 2 | 2 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |

females
(cont...)

ALIMENTARY SYSTEM

Esophagus

+ +

Gallbladder

+ + + + + + + + + M + + + + + + + + + + | + + + + + +

Intestine Large, Cecum

+ + + + + + + + + + A + + + + + + + + + + + + + + + +

Intestine Large, Colon

+ + + + + + + + + + A + + + + + + + + + + + + + + + +

Intestine Large, Rectum

+ + + + + + + + + + A + + + + + + + + + + + + + + + +

Intestine Small, Duodenum
Peyer's Patch, Hyperplasia

+ + + + + + + + + + A A + + + + + + + + + + + + + + + +

3

Intestine Small, Ileum

+ + + + + + + + + + A + + + + + + + + + + + + + + + +

Intestine Small, Jejunum

+ + + + + + + + + + A A + + + + + + + + + + + + + + + +

Liver

+ +

Angiectasis

3

Basophilic Focus

2 2

Clear Cell Focus

2

Hematopoietic Cell Proliferation

3

Necrosis

Tension Lipidosis

Bile Duct, Hyperplasia

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Requested: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | DAY ON TEST | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 0 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 1 | 8 | 2 | 2 | 3 | 2 | 2 | 1 | 7 | 1 | 2 | 2 | 2 | 2 | 1 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

ENDOCRINE SYSTEM

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

M: Missing teeth

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
32 PPM | ANIMAL ID | Day On Test | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 0 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 1 | 8 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 7 | 1 | 2 | 2 | 2 | 2 | 1 |
| Clitoral Gland | | + | + | M | + | + | + | + | + | M | M | I | + | + | + | + | M | + | + | + | + | + | + | + | |
| Ovary | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Uterus | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| Angiectasis | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node | | | | | | | | | | + | + | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | + | + | + | + | M | + | M | M | + | + | + | + | + | + | + | M | + | M | + | M | M | M | + | |
| Lymph Node, Mandibular | + | + | M | + | M | M | + | + | + | M | M | + | + | + | + | + | M | + | M | + | M | + | + | M | |
| Lymph Node, Mediastinal | M | + | M | + | + | + | M | + | M | + | + | + | + | + | + | + | M | + | M | + | M | + | M | M | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | M | + | M | + | M | + | + | M | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 0 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 1 | 8 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 7 | 1 | 2 | 2 | 2 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | 2 | 3 | 1 | 1 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| Polyp, Inflammatory | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Respiratory Epithelium,
Hyperplasia | 1 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | |
| Olfactory Epithelium, Atrophy | 2 | 3 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| Olfactory Epithelium, Metaplasia,
Respiratory | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory Epithelium, Hyperplasia | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 1 | 1 | 3 | 3 | 3 | 4 | |
| Respiratory Epithelium, Metaplasia,
Squamous | 3 | 3 | 2 | 3 | 2 | 2 | 1 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 1 | 3 | 1 | 2 | 2 | 3 | 2 | 2 | 2 | |
| Turbinate, Atrophy | 3 | 3 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cataract | | | | | | | | | | | 3 | | | | | | | | | | | | | |
| Phthisis Bulbi | | | | | | | | | | | | X | | | | | | | | | | | | |
| Cornea, Epithelium, Hyperplasia, Focal | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Registered: 07/11/2006

Time Report Requested: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 0 | 3 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 7 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 1 | 8 | 2 | 2 | 3 | 2 | 2 | 1 | 7 | 1 | 2 | 2 | 2 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

Harderian Gland
Hyperplasia
Hypertrophy

URINARY SYSTEM

Kidney
Amyloid Deposition
Metaplasia, Osseous
Nephropathy
Thrombosis
Capillary, Glomerulus, Hyperplasia

Urinary Bladder

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 1 | 2 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 3 | 3 | 3 | 2 | 3 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| | 3 | 1 | 3 | 6 | 2 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 2 | 2 | 7 | 9 | 1 | 2 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | M | + | + | + | I | + | + | + | I | + | + | + | + | + | I | + | + | + | 44 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Duodenum
Peyer's Patch, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Ileum | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 1 | 2 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 3 | 3 | 3 | 2 | 3 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| | 3 | 1 | 3 | 6 | 2 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 2 | 2 | 7 | 9 | 1 | 2 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 4 2.5 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | 2 3.5 |
| Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | | 3 1.30 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | 3 1.3 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 1 | 2 | 7 | 7 | 7 | 7 | |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 | 3 | 3 | 2 | 3 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | |
| | 3 | 1 | 3 | 6 | 2 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 2 | 2 | 7 | 9 | 1 | 2 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

Adrenal Cortex

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 5 1.8 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 2.3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

Adrenal Medulla

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

Islets, Pancreatic

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

Parathyroid Gland

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| M | M | + | + | M | + | + | M | M | + | M | + | + | + | + | + | M | + | + | + | + | M | M | + | 33 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

Pituitary Gland

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 3.3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 9 2.6 |

Thyroid Gland

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 11 1.8 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| | DAY ON TEST | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 1 | 2 | 7 | 7 | 7 | 7 | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| B6C3F1 MICE FEMALE | ANIMAL ID | 3 | 3 | 3 | 2 | 3 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | |
| 32 PPM | | 3 | 1 | 3 | 6 | 2 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 2 | 2 | 7 | 9 | 1 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | M | + | + | + | + | + | M | + | M | + | + | + | + | M | M | M | + | + | M | + | + | I | + | 37 |
| Ovary | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 9 2.1 |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 3 2.3 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymph Node, Bronchial | + | M | + | + | + | + | + | + | M | M | + | + | + | + | M | M | M | + | M | M | M | + | M | M | 32 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | 39 |
| Lymph Node, Mediastinal | + | + | + | + | M | M | + | M | M | + | + | + | + | + | M | M | M | + | M | M | + | M | M | + | 33 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | M | + | + | + | + | + | + | 49 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | 4 3.3 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| B6C3F1 MICE FEMALE
32 PPM | ANIMAL ID | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 1 | 2 | 7 | 7 | 7 | 7 | | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|--------|
| | | 3 | 3 | 3 | 2 | 3 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | |
| | | 3 | 1 | 3 | 6 | 2 | 3 | 3 | 8 | 8 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 2 | 2 | 7 | 9 | 1 | 2 | 3 | 3 | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 4 1.8 |
| Alveolus, Infiltration Cellular, Histiocyte | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Suppurative | | 3 | 2 | 2 | 2 | 1 | 2 | | 3 | 1 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | | 2 | 2 | 2 | 3 | 45 2.0 |
| Polyp, Inflammatory | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Glands, Respiratory Epithelium,
Hyperplasia | | 3 | 2 | 3 | 2 | 2 | 2 | 1 | 2 | 1 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 1 | 1 | 3 | 2 | 3 | 2 | 49 2.1 |
| Olfactory Epithelium, Atrophy | | 3 | | | | | | | | | | | | | | | | | | | | | | | | 29 2.2 |
| Olfactory Epithelium, Metaplasia,
Respiratory | | 2 | 2 | 2 | 3 | | | | | | | | | | | | | | | | | | | | | 14 1.9 |
| Olfactory Epithelium, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Respiratory Epithelium, Hyperplasia | | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 1 | 3 | 2 | 3 | 1 | 3 | 2 | 3 | 2 | 3 | 2 | 49 2.2 |
| Respiratory Epithelium, Metaplasia,
Squamous | | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 49 2.4 |
| Turbinate, Atrophy | | 4 | 4 | 4 | 3 | 4 | 4 | 3 | 4 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 3 | 3 | 4 | 3 | 4 | 3 | 50 3.5 | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|--------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cataract | | | | | | | | | | | | 2 | | 2 | | | | | | | | | | | 6 1.8 | |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Cornea, Epithelium, Hyperplasia, Focal | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 10 2.0 |
| Cornea, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 97008 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

PROPARGYL ALCOHOL

CAS Number: 107-19-7

Date Report Reqstd: 07/11/2006

Time Report Reqstd: 13:00:41

First Dose M/F: 09/17/01 / 09/17/01

Lab: BNW

| DAY ON TEST | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 1 | 2 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 3 | 3 | 3 | 2 | 3 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| | 3 | 1 | 3 | 6 | 2 | 3 | 3 | 3 | 8 | 8 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 2 | 2 | 7 | 9 | 1 | 2 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | 2 4.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Nephropathy | | | | | | | | | | | | | | | | | | | | | | | | 24 1.1 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Capillary, Glomerulus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked